



Compact Network Ready Mono Laser Multifunction Printer with Automatic 2-sided (Duplex) Printing

The DCP-7065DN offers print, scan and copy capabilities in one compact multifunction unit. Fast, high quality 2-sided prints, combined with low running costs make this the perfect solution for home and small offices.



PRINT



SCAN



COPY

- Versatile all-in-one mono laser printer, scanner and copier.
- Fast printing at speeds of up to 26 pages per minute (ppm).
- Save paper with automatic 2-sided (duplex) printing.
- Network connectivity means you can share the machine with multiple users.
- 35 sheet Automatic Document Feeder (ADF) for fast and efficient multipage scanning and copying.
- Optional high-yield toner cartridge to reduce print costs further.
- Low maintenance: large 250 sheet paper tray and manual feed slot to print on envelopes.



Fast and efficient, the DCP-7065DN is a compact all-in-one offering professional quality prints combined with low running costs...

Versatile

With high speed printing and copying at up to 26 pages per minute, the Brother DCP-7065DN produces high quality documents fast. A 250 sheet built-in paper tray means you will be replenishing paper less frequently making you more efficient in your daily tasks. The single sheet multi-purpose tray allows you to print on thicker media such as envelopes.

The high resolution colour scanner means you can create digital copies of hard copy documents quickly and easily and thanks to the 35 sheet Automatic Document Feeder (ADF) multipage reports and invoices can be copied in no time at all.

Easy to Use

Although the DCP-7065DN is equipped with a wealth of impressive functions, the intuitive control panel, together with the backlit 2 line LCD screen means you will be familiar with the most frequently used features in no time. An easy to follow menu structure means the machine is quick and easy to set-up and configure. Replacing the toner cartridge is simple thanks to the front operation.

Shared Resources

Reduce hardware costs by sharing the DCP-7065DN with a number of users in your office. Simply connect the machine to your existing network to enable multiple users to print to and scan from the DCP-7065DN.

Cost Effective

The DCP-7065DN is designed to keep print costs to a minimum. Reduce paper consumption by 50% with automatic 2-sided printing. The Toner Save Mode can help to reduce the amount of toner used when printing non critical documents and the optional high-yield toner cartridge can further reduce your running costs as it provides a lower cost per print.

Environmentally Friendly

Thanks to its low power consumption, low noise levels and extremely low impact on the environment, the DCP-7065DN has been awarded both ENERGY STAR accreditation and the prestigious Blue Angel environmental label. Brother's separate toner and drum system significantly reduces waste. Moreover, you can return your empty toner cartridge to Brother to be recycled free of charge.

Comprehensive Software

The DCP-7065DN comes complete with a range of easy-to-use software utilities to improve your productivity. Bundled with the powerful Scansoft® Paperport™ document management software, hard copy documents such as invoices can be scanned in colour, stored and managed electronically for future retrieval.



Scan colour documents direct to your PC



Automatic 2-sided printing to reduce print costs



Scan, copy and fax multipage documents easily with the 35 sheet ADF

DCP-7065DN

DCP-7065DN Compact Network Ready Mono Laser Multifunction Printer with Automatic 2-sided Printing

With fast print and copy speeds of up to 26 pages per minute and automatic 2-sided printing, the DCP-7065DN will enable you to produce professional documents in no time. You'll get sharp, crisp text and accurate reproduction of even the finest details on the page thanks to its high print resolution.



This versatile all-in-one can scan and copy multi-page documents quickly and easily using the 35 sheet Automatic Document Feeder (ADF) saving you time for busy day to day tasks. The single sheet multi-purpose tray can be used to print on thicker media such as envelopes, whilst the standard paper tray boasts an impressive 250 sheet capacity so you'll replenish it less frequently.

Save on hardware costs by sharing the DCP-7065DN with multiple users on your existing network. With the DCP-7065DN you also get a choice of standard and high-yield toner cartridges to perfectly match how much you print. All supplies, including the drum, can be replaced individually. This saves you money as you only pay for what you've used.

The DCP-7065DN is ENERGY STAR certified meaning a reduced energy bill for you. Moreover, you can return your empty toner cartridges to Brother for recycling free of charge. The DCP-7065DN also carries Germany's prestigious Blue Angel accreditation thanks to its exceedingly low impact on the environment.



DCP-7065DN Specifications

Duplex Mono Laser Printer		Printer Driver Functions	
Technology	Electrophotographic monochrome laser printer	N-up Printing††	Save paper reducing 2, 4, 9, 16 or 25 A4 pages to 1 A4 page
Laser Notice	Class 1 Laser Product (IEC 60825-1:2007)	Poster Printing†	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages for a bigger impact
Print Speed A4 (Standard)	Up to 26ppm (pages per minute)	Watermark Printing†	Add predefined text or user-defined messages to your documents as a watermark
Print Speed A4 (Duplex)	Up to 10 sides per minute (5 sheets per minute)	Booklet Printing†	Print easy-to-read, professional documents in A5 booklet format using automatic duplex
Resolution	HQ1200 (2,400 x 600dpi), 600dpi, 300dpi	Header & Footer†	Print the time, date, user ID or customised message on your documents
Processor	200MHz (ARM9)	Network	
Warm Up Time	Less than 7 seconds (from sleep mode)	Web Based Management	Web browser print server management
First Print Out Time	Less than 8.5 seconds (from ready mode)	Driver Deployment Wizard	A quick & easy way to deploy a Brother printer drivers on a networked Windows® PC
Emulation	GDI (host based)	BRAdmin Light	Print Server Management for Windows® & Mac OS X 10.4.11, 10.5.x, 10.6.x
Memory	32MB	BRAdmin Professional***	For LAN / WAN management
Local Interface	Hi-Speed USB 2.0	Protocols	TCP/IP (IPv4 & IPv6)
Wired Network Interface	10/100 Base-TX	IPv4 Supported Protocols	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMP, LLTD responder, Web Services (Print)
Display	16 characters x 2 lines white backlit LCD	IPv6 Supported Protocols	NDP, RA, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port 9100, IPP, FTP Server, SNMPv1/v2c, HTTP Server, TFTP Client and Server, SMTP Client, ICMPv6, LLTD responder, Web Services (Print)
Mono Copier		Supplies	
Copy Speed A4	Up to 26cpm (copies per minute)	Inbox Toner	1,200 pages*
Resolution	Up to 600 x 600dpi	Standard Toner (TN-2210)	1,200 pages*
First Copy Out Time	Less than 11 seconds (from ready mode)	High Yield Toner (TN-2220)	2,600 pages*
Multi-Copying / Stack / Sort	Makes up to 99 copies of each page (stacks or sorts)	Drum Unit (DR-2200)	Approx. 12,000 pages (1 page / job)
Reduction / Enlargement Ratio	Reduce & enlarge documents from 25% to 400% using 1% increments	Dimensions / Weight	
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet	With Carton	527 (W) x 510 (D) x 493 (H) mm / 14.6kg
Colour Scanner		Without Carton	405 (W) x 398.5(D) x 316 (H) mm / 11.4kg
Resolution	Up to 600 x 2,400dpi (from scanner glass) 600 x 600dpi (from ADF)	Others	
Resolution (Enhanced)	Up to 19,200 x 19,200dpi	Power Consumption	445W copying
Grey Scale	256 shades of grey are available for copying & scanning	TEC (Typical Electrical Consumption)	55W ready
Colour Depth	48 bit internal, 24 bit external	Noise Level	0.9W deep sleep
Pull Scan Functions	Scan documents to E-mail, Image, OCR or File**	Sound Pressure - Less than 53dBA when printing, less than 30dBA in ready	1.337kWh / week
Media Specifications		Sound Power - Less than 6.40B when printing, less than 4.22B in ready	Power Save - Consume less energy when not in use
Media Types	Standard Paper Tray - Plain Paper, Thin Paper & Recycled Paper	Toner Save - Reduces toner usage	
Media Capacity & Weights	Manual Feed Slot - Plain Paper, Thin Paper, Thick Paper, Recycled Paper, Bond Paper, Labels & Envelopes	Recommended Monthly Print Volume	250 to 2,000 pages
Media Sizes	ADF (Automatic Document Feeder) - Plain Paper & Recycled Paper	 	
Media Sizes	250 Sheet Standard Paper Tray - 60 - 105 g/m2 (16 - 28lb)		
Paper Output	1 Sheet Manual Feed Slot - 60 - 163 g/m2 (16 - 43lb)		
	35 Sheet ADF (Automatic Document Feeder) 64 - 90 g/m2 (17 - 24 lb)		
	Standard Paper Tray - A4, Letter, B5(ISO/JIS), A5, A5(Long Edge), B6(ISO), A6 & Executive		
	Manual Feed Slot - Width 76.2 to 216mm, Length 116 to 406.4mm		
	100 Sheets (Face Down)		
	1 Sheet (Face up) Straight Paper Path		
Printer Driver Software			
Windows®	Windows® 7 (32 & 64 bit editions), Windows Vista® (32 & 64 bit editions), Windows® XP Home Edition, Windows® XP Professional (32 & 64 bit editions), Windows® 2000 Professional, Windows Server® 2003 (Network only / 32 & 64 bit editions), Windows Server® 2008 (Network only / 32 & 64 bit editions), Windows Server® 2008 R2 (Network only)		
Macintosh	Mac OS X 10.4.11, 10.5.x, 10.6.x		
Linux***	CUPS & LPD/LPRng printing system (x86, x64 environment)		

* Declared yield value in accordance with ISO/IEC 19752 ** Requires Brother Software *** Optional free download available from <http://solutions.brother.com> † Windows® only †† Windows® & Apple Macintosh only

Contact:

brother
at your side

Brother International Europe Ltd

Brother House, 1 Tame Street, Audenshaw, Manchester M34 5JE

Tel: + 44 (0) 161-330 6531 Fax: + 44 (0) 161-330 5520

Website: www.brother.com

All specifications correct at time of printing. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.