



KONICA MINOLTA

brother
at your side

AUTHORISED DISTRIBUTOR

bizhub i-SERIES
IS AT THE
HEART
OF YOUR
BUSINESS
RETHINK IT



bizhub C650i/C550i/C450i/C360i/C300i/C250i

Giving Shape to Ideas

TOMORROW'S WORKPLACE TODAY

INTRODUCING THE bizhub i-SERIES FROM KONICA MINOLTA

Born from our desire to rethink the role of multifunctional devices in business, our next generation technology sits at the heart of your connected environment. Simply and securely bringing together people, places and devices to change the way you work.

The workplace is changing

- As more tasks move toward individual work in a place of the individual's choice, central offices are becoming hubs for communication.
- As office documents become more digitised and the volume of data increases, centralised management and better access to documents is vital.
- As business data leaks and hacking become more commonplace, the need for security is increasingly critical.

bizhub i-Series is the solution

- With simple operability and high-quality performance, bizhub i-Series allows people to complete tasks efficiently and effectively from anywhere.
- With integrated cloud services that offer the right processes at the right time, bizhub i-Series builds more convenient workflows for everyone.
- With next generation security technology built in, bizhub i-Series provides a reliably safe environment for your business.





i-SERIES IS SIMPLE AND SECURE RETHINK IT

We've simplified, secured and enhanced what technology can do for your business.

Key benefits

- Stay in control of your information
- Protect your data and stop virus threats
- Security visibility, implementation and continuity
- The peace of mind to focus on core activities

Intelligent simplicity

The bizhub i-Series features a large touchscreen operation panel, smartphone style user interface and a display that users can customise. The bizhub i-Series is intelligently simple.

Next generation security

The next generation bizhub i-Series comes with the highest security standards built in, ensuring no virus can harm your business.

i-SERIES IS INTUITIVE

RETHINK IT

Inspired by the way people interact with tech, we've completely redesigned the user experience.



Designed for people

The stylish bizhub i-Series looks at home in today's office environment, with contemporary touches like a floating operation panel, rounded edges and LED status indicators.

With a 24° to 90° tilt angle, the large 10.1" tablet style touch panel provides convenient operation for all users.

Putting users first

The i-Series offers a market leading and intuitive smartphone style experience.

In fact, the user experience is so familiar there's practically no learning curve and users can customise their screen in the same way as their mobile device.

In the card-type Quick Copy screen, all main setting options are directly visible without scrolling or searching. Users can apply their desired settings with fewer clicks and pop-ups, making operation faster and more productive. You can also customise your personal home screen by simply adding or removing function icons. Widgets are supported as well, similar to Widgets on Android-based smartphones. This facilitates embedded functionality delivered by Apps into the home screen.





The waiting is over

To boost workflow and cut out waiting time, the i-Series is our fastest ever range. In fact, thanks to its brand new Quad Core Central Processing Unit, it's four times quicker than our previous bizhub series.

The new controller integrates all processes and distributes tasks more effectively within the Central Processing Unit. As a result, the user experience is smoother and quicker and there is no waiting time while operating i-Series.

With the new Intelligent Media Sensor*, paper weight detection is automatic, and the correct settings are applied every time. Enhancing user convenience, this avoids media setting mistakes and minimises paper jams.




(*Intelligent Media Sensor is standard on bizhub C650i/C550i/C450i; optional on bizhub C360i/C300i/C250i)

i-SERIES IS SAFER RETHINK IT

ALWAYS SAFE. ALWAYS IN CONTROL.

Having complete protection against virus threats gives you the peace of mind to focus on other tasks. So to protect your data, the optional BitDefender anti-virus engine automatically scans all transmitted and received data – in real time. You can also run on-demand or scheduled scanning of your data, to make sure you stay protected.



* Data inside the MFD is checked manually or scheduled

● Optional BitDefender scans transmitted and received data to protect the i-Series

At Konica Minolta, we know that protecting your data is key to your business. That's why our bizhub multifunctional devices embed the highest level of security to protect your data.





CUSTOMER BENEFITS



Intuitive operability
Operate the bizhub like a smartphone or tablet with fully customised user interface



Mobile connectivity
Print anytime from anywhere with Konica Minolta's innovative mobile technologies





Security
Secure network integration, data encryption, SSD overwrite and advanced user authentication



Productivity
Reliability, high-speed scanning and printing, combined with powerful finishing functions

FINISHING FUNCTIONALITIES



Finishing Functionalities

Compatible Models		FS-540 ^{*1,2}	FS-540SD ^{*1,2}	FS-539 ^{*1,2}	FS-539SD ^{*1,2}	FS-533 ^{*3}
C650i		✓	✓	✓	✓	—
C550i / C450i		✓	✓	✓	✓	✓
C360i / C300i / C250i		—	—	✓	✓	✓
Finisher Models		FS-540 ^{*1,2}	FS-540SD ^{*1,2}	FS-539 ^{*1,2}	FS-539SD ^{*1,2}	FS-533 ^{*3}
Offset sorting (Shift sort) function	Slightly offsets position of each set of pages when discharged	✓	✓	✓	✓	✓
Stapling functions	Corner stapling Corner stapling (parallel) ^{*4} Corner stapling (parallel) ^{*4} Two-point stapling (side)	Thin / Plain (52-80 gsm): max. 100 sheets Plain (81-90 gsm): max. 60 sheets Plain + / Thick (91-120 gsm): max. 50 sheets Thick (121-157 gsm): max. 40 sheets	Thin / Plain (52-90 gsm): max. 50 sheets Plain + / Thick (91-120 gsm): max. 30 sheets Thick (121-209 gsm): max. 15 sheets	Thin / Plain (52-90 gsm): max. 50 sheets A4, B5: max 50 sheets ^{*5} A3, B4: max 30 sheets ^{*5}		
Manual stapling		Max. 50 sheets (23-15/16 lb (90 g/m ²))				—
Booklet function & folding functions	Saddle stitching Centre-fold Tri-fold (up to 3 sheets)	—	Max. 20 sheets	—	Max. 20 sheets	—
Z folding function	Z folding	Z folding unit ZU-609 52-90 gsm				—
Hole-punching	Two-hole punch Upper two-hole punch	Punch kit PK-526 Up to 300 gsm		Punch kit PK-524 Up to 300 gsm		Punch kit PK-519 Up to 157 gsm
Cover sheet & Insert sheet	Cover sheet Insert sheet	Post Inserter PI-507 or standard functions		Standard functions		Standard functions

*1 Installation of a finisher enables in-body paper discharge. A maximum of three discharge locations can be set. For FS-540 and FS-540SD, a maximum of four in-body paper discharges can be set with Job Separator JS-602 installed.

*2 Requires Relay Unit RU-513. *3 FS-533 requires MK-607 to be installed. *4 FS-540/FS-540D/FS-539/FS-539SD parallel stapling is only supported for A4 portrait, B5 portrait and A5 landscape orientations. *5 FS-533 corner stapling is only parallel.

i-SERIES IS ECO RETHINK IT

INDUSTRY LEADING ENVIRONMENTAL PERFORMANCE

We have invested substantial resources to keep the environmental impact of the bizhub i-Series as low as possible.

Our new eco setting and low temperature fusing toner combine to significantly reduce the consumption of energy and paper.

We're also committed to minimising waste throughout the product's lifecycle.


While our improved consumables and parts use fewer materials and enjoy a longer life, our industry leading air-form packaging solution ensures safe transportation while reducing waste.

bizhub i-SERIES IS AVAILABLE NOW

With intelligent usability, next generation security and seamless connectivity, bizhub i-Series brings together people, places and devices to change the way you work.

bizhub i-Series is tomorrow's workplace today.

Discover more at brother.co.nz/konica-minolta





OPTIONS DESCRIPTIONS (bizhub C650i/C550i/C450i)

ENHANCED FEATURES

LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users. Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data

CONNECTIVITY

FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board (required for bizhub C450i only)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

OTHERS

WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster Desk	Not compatible with Paper Tray / Finisher options

OPTIONS DESCRIPTIONS (bizhub C360i/C300i/C250i)

ENHANCED FEATURES

LK-102v3 PDF enhancements	PDF/A(1b), PDF encryption, digital signature
LK-104v3 Voice Guidance	Enables easy to follow audio guidance for visually impaired users. Requires KP-102
LK-105v4 OCR text recognition	Searchable PDF and PPTX
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A and B fonts	Supports native OCR A and B font printing
LK-110v2 Document converter pack	Generates various file formats incl. DOCX, XLSX and PDF/A
LK-111 ThinPrint® client	Print data compression for reduced network impact
LK-115v2 Trusted Platform Module	Trusted Platform Module for protection of data encryption and decryption
LK-116 Antivirus	Bitdefender® antivirus provides real time scanning of all incoming and outgoing data

CONNECTIVITY

FK-514 Fax board	Super G3 fax, digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection; Bluetooth
IC-420 Fiery controller	Professional colour print controller
VI-516 Interface kit for IC-420	Fiery controller interface card
UK-115 Interface board for IC-420	Fiery controller interface board (required for C250i/C300i/C360i)
ID card reader	Various ID card technologies
MK-735 Mount kit	Installation kit for ID card reader

MEDIA INPUT

PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Large capacity tray	2,500 sheets, A4, 52-256 g/m ²
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5-A4, 52-256 g/m ²
LU-302 Large capacity tray	3,000 sheets, A4, 52-256 g/m ²
LU-207 Large capacity tray	2,500 sheets, A4-SRA3, 52-256 g/m ²
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials

MEDIA OUTPUT

OT-513 Output tray	Output tray used instead of finisher
JS-508 Job separator	Separation of fax output etc. (bizhub C450i/C550i only)
FS-533 Inner finisher	50-sheet stapling; 500 sheets max. output (for bizhub C450i/C550i only)
MK-607 Attachment kit	For FS-533 installation (bizhub C450i/C550i only)
PK-519 Punch Kit for FS-533	2/4 hole punching, autoswitching (for bizhub C450i/C550i only)
FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
FS-540 Staple finisher	100 sheets stapling; 3,200 sheets max. output
FS-540SD Booklet finisher	100 sheets stapling; 20 sheets booklet finisher; 2,700 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
PK-526 Punch kit for FS-540/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD or FS-540/SD installation
JS-602 Job separator for FS-540/SD	Separation of fax output; etc.
PI-507 Post inserter for FS-540/SD	Cover insertion; post finishing
ZU-609 Z-fold unit for FS-540/SD	Z-fold for A3 prints

OTHERS

DF-632 Document feeder	Reversing automatic document feeder, capacity 100 originals
DF-714 Document feeder	Dualscan automatic document feeder, capacity 100 originals
WT-506 Working table	Authentication device placement
KP-102 10-Key pad	For use instead of touchscreen
SC-509 Security kit	Copy guard function (2 kits required for Dualscan ADF)
EM-908 Replacement SSD	1 TB SSD to increase storage space
IM-102 Intelligent Media Sensor	Automatic detection of media type
KH-102 Keyboard holder	To place USB keyboard
CU-102 Air cleaning unit	Improving indoor air quality by reduced emission
DK-705 Low Caster unit	Not compatible with Paper Tray or external Finishing options

MEDIA INPUT

PC-216 2x Universal tray	2x 500 sheets, A5-A3, 52-256 g/m ²
PC-416 Large capacity tray	2,500 sheets, A4, 52-256 g/m ²
PC-417 Large capacity tray	1,500 + 1,000 sheets, A5-A4, 52-256 g/m ²
LU-302 Large capacity tray	3,000 sheets, A4, 52-256 g/m ²
MK-730 Banner tray	Multipage banner feeding
DK-516 Copier desk	Provides storage space for print media and other materials

MEDIA OUTPUT

FS-539 Staple finisher	50 sheets stapling; 3,200 sheets max. output
FS-533 Inner finisher	50 sheets stapling; 500 sheets max. output
PK-519 Punch kit for FS-533	2/4 hole punching, autoswitching
FS-539SD Booklet finisher	50 sheets stapling; 20 sheets booklet finisher; 2,200 sheets max. output
PK-524 Punch kit for FS-539/SD	2/4 hole punching; autoswitching
RU-513 Relay unit	For FS-539/SD installation
JS-506 Job separator	Separation of fax output; etc.

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

SYSTEM SPECIFICATIONS	C650i	C550i	C450i
System speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm
System speed A3 (mono/colour)	Up to 32/32 ppm	Up to 27/27 ppm	Up to 22/22 ppm
Autoduplex speed A4 (mono/colour)	Up to 65/65 ppm	Up to 55/55 ppm	Up to 45/45 ppm
1st page out time A4 (mono/colour)	2.8/3.8 sec.	3.3/4.3 sec.	3.8/5.0 sec.
Warm-up time (mono/colour)	Approx. 15/17 sec. ¹	14/16 sec. ¹	15/17 sec. ¹
Imaging technology	Laser		
Toner technology	Simitri® HD polymerised toner		
Panel size/resolution	10.1" / 1024 x 600		
System memory	8GB (standard/max)		
System storage	256 GB SSD (standard) / 1 TB SSD (optional)		
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n/ac (optional)		
Network protocols	TCP/IP (IPv4 / IPv6); SMB; LPD; IPP; SNMP; HTTP(S); Bonjour		
Automatic document feeder	Up to 300 originals; A6-A3; 35-210 g/m ² ; Dualscan ADF		
ADF double feed detection	Standard		
Printable paper size	A6-SRA3; customized paper sizes; banner paper max. 1,200 x 297 mm		
Printable paper weight	52-300 g/m ²		
Paper input capacity	1,150 sheets / 6,650 sheets (standard/max)		
Paper tray input (standard)	1x 500; A6-A3; custom sizes; 52-256 g/m ² 1x 500; A5-SRA3; custom sizes; 52-256 g/m ²		
Paper tray input (optional)	2x 500 sheets; A5-A3; 52-256 g/m ² 1x 2,500 sheets; A4; 52-256 g/m ² 1x 1,500 + 1x 1,000 sheets; A5-A4; 52-256 g/m ²		
Large capacity tray (optional)	1x 3,000; A4; 52-256 g/m ² 1x 2,500; A4-SRA3; custom sizes; 52-256 g/m ²		
Manual bypass	150 sheets; A6-SRA3; custom sizes; banner; 60-300 g/m ²		
Finishing modes (optional)	Offset; Group; Sort; Staple; Staple (offline); Punch; Half-fold; Letter-fold; Booklet; Post insertion; Z-fold		
Automatic duplexing	A6-SRA3; 52-256 g/m ²		
Output capacity	Up to 250 sheets / up to 3,300 sheets (standard/max)		
Stapling	Max. 100 sheets or 98 sheets + 2 cover sheets (up to 300 g/m ²)		
Stapling output capacity	Max. 200 sets		
Letter fold	Max. 3 sheets		
Letter fold capacity	Max. 50 sets; unlimited (without tray)		
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 300 g/m ²)		
Booklet output capacity	Max. 35 booklets; unlimited (without tray)		
Duty cycle (monthly)	Rec. 53,000 pages; Max ² 250,000 pages	Rec. 50,000 pages; Max ² 200,000 pages	Rec. 40,000 pages; Max ² 200,000 pages
Toner lifetime	Black up to 28,000 pages CMY up to 28,000 pages		
Imaging unit lifetime	Black up to 240,000/1,000,000 pages (drum/developer) CMY up to 165,000/1,000,000 pages (drum/developer)		
Power consumption	220-240 V / 50/60 Hz; Less than 2.00 kW		
System dimension (W x D x H)	615 x 688 x 961 mm (without options)		
System weight	Approx. 100.0 kg (without options)		

TECHNICAL SPECIFICATIONS (bizhub C650i/C550i/C450i)

PRINTER SPECIFICATIONS

Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Print Service (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile) optional: Google Cloud Print; WiFi Direct

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	AMD GX-424CC @ 2.4 GHz
Memory/HDD	4GB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c
Operating systems	Windows 7 (32/64); Windows 8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Linux

SCANNER SPECIFICATIONS

Scan speed	Up to 140/140 ipm in simplex (mono/colour) Up to 280/280 ipm in duplex (mono/colour)
Scan resolution	Up to 600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-DPWS; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/ PPTX/XLSX
Scan destinations	2,000 destinations + 100 groups; LDAP support

COPIER SPECIFICATIONS

Copy resolution	600 x 600 dpi
Gradation	256 gradations
Multicopy	1-9,999
Original format	Max. A3
Magnification	25-400% in 0.1% steps; Auto-zooming

FAX SPECIFICATIONS (OPTIONAL)

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,000 single + 100 groups

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES

Security Functions (standard)	ISO 15408 HCD-PP Common Criteria (in evaluation); IP filtering and port blocking; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; Storage overwrite; Storage data encryption (AES 256); Confidential fax; Print user data encryption
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy)
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition; Authentication by mobile device (Android)
Accounting Functions (optional)	ID card authentication (ID card reader); Authentication by mobile device (iOS)
Software	Net Care Device Manager; Data Administrator; Box Operator; Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility

¹ Warm-up time may vary depending on the operating environment and usage

² If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

SYSTEM SPECIFICATIONS	C360i	C300i	C250i
Panel size/resolution	10.1" / 1024 x 600		
System memory (standard/max)	8 GB		
System storage	256 GB Solid State Drive (standard)/1TB SSD (optional)		
Interface	10/100/1,000-Base-T Ethernet; USB 2.0; Wi-Fi 802.11 b/g/n (optional)		
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP; HTTP(S); AppleTalk; Bonjour		
Automatic document feeder	Up to 100 originals; A6-A3; 35-163 g/m ² ; RADF or Dualscan ADF available		
Paper input capacity (standard/max)	1,150 sheets / 6,650 sheets		
Paper tray input (standard)	1x 500 sheets; A6-A3; custom sizes; 52-256 g/m ² 1x 500 sheets; A5-SRA3; custom sizes; 52-256 g/m ²		
Paper tray input (optional)	2x 500 sheets; A5-A3; 52-256 g/m ² 1x 2,500 sheets; A4; custom sizes; 52-256 g/m ²		
Large capacity tray (optional)	1x 3,000 sheets; A4; custom sizes; 52-256 g/m ²		
Manual bypass	150 sheets; A6-SRA3; Custom sizes; Banner; 60-300 g/m ²		
Automatic duplexing	A5-SRA3; 52-256 g/m ²		
Finishing modes (optional)	Offset; Group; Sort; Staple; Punch; Half-fold; Letter-fold; Booklet		
Output capacity (standard)	Max. 250 sheets		
Output Capacity (optional)	Max. 3,300 sheets		
Stapling	Max. 50 sheets or 48 sheets + 2 cover sheets (up to 209 g/m ²)		
Letter fold capacity	Max. 30 sheets; unlimited (without tray)		
Booklet	Max. 20 sheets or 19 sheets + 1 cover sheet (up to 209 g/m ²)		
Booklet output capacity	Max. 100 booklets; unlimited (without tray)		
Copy/print volume (monthly)	Rec. 33,000 pages Max. ¹ 175,000 pages	Rec. 25,000 pages Max. ¹ 150,000 pages	Rec. 16,000 pages Max. ¹ 130,000 pages
Toner lifetime	Black up to 28,000 pages CMY up to 28,000 pages		
Imaging unit lifetime	Black up to 225,000/1,000,000 pages (drum/developer) CMY up to 105,000/1,000,000 pages (drum/developer)	Black up to 225,000/1,000,000 pages (drum/developer) CMY up to 90,000/1,000,000 pages (drum/developer)	Black up to 170,000/1,000,000 pages (drum/developer) CMY up to 65,000/1,000,000 pages (drum/developer)
Power consumption	220-240 V / 50/60 Hz; Less than 1.58 kW		
System dimension (W x D x H)	615 x 688 x 918 mm (with DF-714)		
System weight	Approx. 96.0 kg (with DF-714)		

TECHNICAL SPECIFICATIONS (bizhub C360i/C300i/C250i)

PRINTER SPECIFICATIONS	C360i	C300i	C250i
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi		
Print Speed A4 (mono/colour)	36/36 ppm	30/30 ppm	25/25 ppm
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS		
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10 (32/64); Windows Server 2008 (32/64); Windows Server 2008 R2; Windows Server 2012; Windows Server 2012 R2; Windows Server 2016; Windows Server 2019; Macintosh OS X 10.10 or later; Unix; Linux; Citrix		
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin		
Mobile printing	AirPrint (iOS); Mopria (Android); Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile); Mobile Authentication and Pairing (iOS/Android) Optional: Google Cloud Print; WiFi Direct		

PRINTER SPECIFICATIONS (OPTIONAL)

Print controller	Embedded Fiery IC-420
Controller CPU	AMD GX-424CC @ 2.4 GHz
Memory/HDD	2,048 MB / 500 GB
Page description language	Adobe PostScript 3 (CPSI 3020); PCL 6; PCL 5c

SCANNER SPECIFICATIONS

Scan speed (mono/colour)	Up to 100/100 ipm in simplex Up to 200/200 ipm in duplex
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home); Scan-to-FTP; Scan-to-Box; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL; TWAIN scan
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS; Compact XPS; PPTX Optional: Searchable PDF; PDF/A 1a and 1b; Searchable DOCX/PPTX/XLSX
Scan destinations	2,100 (single + group); LDAP support

COPIER SPECIFICATIONS

Imaging technology	Laser		
Toner technology	Simitri® HD polymerised toner		
Copy/print speed A4 (mono/colour)	Up to 36/36 ppm		
Copy/print speed A3 (mono/colour)	Up to 18/18 ppm		
Autoduplex Speed A4 (mono/colour)	Up to 36/36 ppm		
1 st copy out time A4 (mono/colour)	4.6/6.1 sec.	5.0/6.7 sec.	5.2/6.9 sec.
Warm-up time (mono/colour)	Approx. 12/13 sec. ²	Approx. 11/13 sec. ²	Approx. 11/13 sec. ²
Copy resolution	600 x 600 dpi		
Gradation	256 gradations		
Multicopy	1-9,999		
Original format	A6-A3; Custom sizes		
Magnification	25-400% in 0.1% steps; Auto-zooming		

FAX SPECIFICATIONS (OPTIONAL)

Fax standard	Super G3 (optional)
Fax transmission	Analogue; i-Fax; Colour i-Fax; IP-Fax
Fax resolution	Up to 600 x 600 dpi
Fax compression	MH; MR; MMR; JBIG
Fax modem	Up to 33.6 Kbps
Fax destinations	2,100 (single + group)

USER BOX SPECIFICATIONS

Storable documents	Up to 3,000 documents or 10,000 pages
Type of user boxes	Public; Personal (with password or authentication); Group (with authentication)
Type of system boxes	Secure print; Encrypted PDF print; Fax receipt; Fax polling

SYSTEM FEATURES

Security Functions (standard)	ISO 15408 HCD-PP Common Criteria; IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2 network communication; IPsec support; IEEE 802.1x support; User authentication; Authentication log; Secure print; Kerberos; SSD self-encrypting (AES 256); Memory data auto deletion; Confidential fax receipt; Print user data encryption
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®); Copy protection (Copy Guard, Password Copy)
Accounting (standard)	Up to 1,000 user accounts; Active Directory support (user name + password + e-mail + smb folder); User function access definition
Accounting Functions (optional)	ID card authentication (ID card reader); Authentication by mobile device (Android/iOS)
Software	PageScope Net Care Device Manager; PageScope Data Administrator; PageScope Box Operator; PageScope Web Connection; Print Status Notifier; Driver Packaging Utility; Log Management Utility

¹ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed

² Warm-up time may vary depending on the operating environment and usage

- All specifications refer to A4-size paper of 80 g/m² quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.



KONICA MINOLTA

brother
at your side

AUTHORISED DISTRIBUTOR

HEAD OFFICE

TAURANGA

Brother International (NZ) Limited
27 Matarawa Place
Tauriko Business Estate
Tauranga 3171

SALES OFFICES

AUCKLAND

Brother International (NZ) Limited
Level 5, Hamburg Sud House
52 Symonds Street
Auckland 1010

WELLINGTON

Brother International (NZ) Limited
Level 27, Grand Plimmer Tower
2-6 Gilmer Terrace
Te Aro, Wellington 6011

CHRISTCHURCH

Brother International (NZ) Limited
Level 1, 77 Hereford St
Christchurch 8011

Brother International (NZ) Limited
Authorised Distributor of Konica Minolta

Free Phone 0800 329 111
brother.co.nz/konica-minolta

